

If the rate of change is constant, then it is also called slope.

**Slope is the average rate of change.** It tells how steep a linear function is when graphed. It is represented by  $m$ .


(Side note: It is unsure why Americans use the letter  $m$  to represent slope. Slope comes from the Latin root “slupan,” for the word “slip.” Schools around the world use different letters, such as  $s$ ,  $a$ ,  $p$ , and  $k$ .)

### How to Find Slope

$$m = \frac{\text{change in } y}{\text{change in } x} \text{ or } \frac{\Delta y}{\Delta x} \text{ or } \frac{y_2 - y_1}{x_2 - x_1} \text{ or } \frac{\text{rise}}{\text{run}}$$

(Another side note:  $\Delta$  is the Greek letter delta, which means change)

### Four Different Types of Slope



## Example 1: Finding the Slope from a Graph

The table below shows the relationship between the number of seconds  $y$  it takes to hear the thunder after a lightning strike and the distance  $x$  you are from the lightning.

Distance ( $x$ )	0	1	2	3	4	5
Seconds ( $y$ )	0	5	10	15	20	25

### YOU TRY:


a. Graph the data.

b. Find the slope of the line.

(You can simply read the slope from your graph here.)



$$m = \frac{\text{change in } y}{\text{change in } x} = \frac{\text{rise}}{\text{run}} =$$

c. Interpret the slope. What does it mean in the context of the problem?



### YOU TRY:

Find the rate of change (slope) for each line.



## Example 2: Finding the Slope through Given Points

The table below shows the distance  $y$  Cheryl traveled in  $x$  minutes while competing in the cycling portion of a triathlon. We know she travels at a constant rate of change. (So, these points would form a line.)

- a. Find the slope of this linear function.

<b>Time (min)</b>	45	90	135	180
<b>Distance (km)</b>	5	10	15	20

Pick any two points to calculate the slope.

(5, 45) and (15, 135) are fine

You need to calculate the change in  $y$  and the change in  $x$  here. It doesn't matter which point is considered #1 or #2. You need to subtract using the same ordering.

$$m = \frac{\text{change in } y}{\text{change in } x} = \frac{y_2 - y_1}{x_2 - x_1} = \frac{135 - 45}{15 - 5} = \frac{90}{10} = \frac{9}{1}$$

- b. **YOU TRY:** Interpret the slope. What does it mean in the context of the problem?

### YOU TRY:

- a. Find the slope of the line that passes through the given points. Distance in inches is  $x$ , and distance in miles is  $y$ .

<b>Distance on Map (in.)</b>	2	4	6	8
<b>Actual Distance (mi)</b>	40	80	120	160

- b. Interpret the slope. What does it mean in the context of the problem?

## Example 3: Find the Slope through Two Points

Find the slope of the line that passes through (-2, 0) and (1, 5).

You need to calculate the change in  $y$  and the change in  $x$  here. It doesn't matter which point is considered #1 or #2. You need to subtract using the same ordering.

$$m = \frac{\text{change in } y}{\text{change in } x} = \frac{y_2 - y_1}{x_2 - x_1} = \frac{5 - 0}{1 - (-2)} = \frac{5}{1 + 2} = \frac{5}{3}$$

**YOU TRY:**

Find the slope of the line that passes through each pair of points.

a.  $(-3, 4)$  and  $(2, -3)$

b.  $(-3, -1)$  and  $(2, -1)$

c.  $(-2, 4)$  and  $(-2, -3)$

d.  $(3, 6)$  and  $(4, 8)$

e.  $(-4, -2)$  and  $(0, -2)$

f.  $(-4, 2)$  and  $(-2, 10)$

g.  $(6, 7)$  and  $(-2, 7)$